

CONTENT

- 01** *Seat Clamp*
- 06** *Adjustable Seatpost Cable Guide*
- 07** *Handle Bar Cap / Stem*
- 08** *Quick Releases / Free Style Hub Nut*
- 10** *Bar Ends*
- 12** *Seat Post*
- 14** *Top Cap*
- 15** *Handle Bar / Stem adjuster*
- 16** *Chain Tensioner / Chain Cover*
- 17** *Chainrings & Cog*
- 18** *Spacer / Valve Cap*
- 19** *Front Derailleur Clamp / Chain Catch*
- 20** *Pully / Pully Bolt / Pully Cage*
- 20** *Crank Bolt / Chain Bolt*
- 21** *Pully Cage / Tools*
- 22** *Computer Adapter / Pedal*
- 24** *Axle Peg*
- 25** *Chain Guide System / Bottle Cage*

Seat Clamp



CC-051A

■ **Diameter** 31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 18mm
 ■ **Weight** 20.5g(31.8)



CC-053A

■ **Diameter** 34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 23mm
 ■ **Weight** 20.5g(34.9)



CC-054A

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 CNC
 ■ **Finish** Anodized color
 ■ **Height** 17mm
 ■ **Weight** 22.4g(31.8)



CC-055A

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 17mm
 ■ **Weight** 22.7g(28.6)



CC-055A1

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 17mm
 ■ **Weight** 22.7g(28.6)



CC-055B

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 17mm
 ■ **Weight** 22.7g(28.6)



CC-056A

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 11mm
 ■ **Weight** 26.6g(34.9)



CC-057A

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 17mm
 ■ **Weight** 26.6g(34.9)



CC-058A

■ **Diameter** 31.8/34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 26mm
 ■ **Weight** 26.6g(34.9)



CC-059A

■ **Diameter** 34.9mm
 ■ **Material** AL6061T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 19 mm
 ■ **Weight** Stainless bolt 21g (34.9)



CC-062A

■ **Diameter** 31.8/34.9mm
 ■ **Material** AL7075T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 25mm
 ■ **Weight** Ti bolt 14g Stainless bolt 16g (31.8)



CC-063A

■ **Diameter** 31.8/34.9mm
 ■ **Material** AL7075T6 CNC
 ■ **Finish** Anodized color
 ■ **Height** 13.5mm
 ■ **Weight** 12.4g(31.8)



CC-064A

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 CNC
 ■ **Finish** Anodized color
 ■ **Height** 11mm
 ■ **Weight** 24.0g(28.6) 17.3g (34.9)



CC-068A

■ **Diameter** 31.8/34.9mm
 ■ **Material** AL6061T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 11mm
 ■ **Weight** 17.6g (34.9)



CC-069A

■ **Diameter** 31.8/34.9/36mm
 ■ **Material** AL6061T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 14mm
 ■ **Weight** 22g(34.9)



CC-070A

■ **Diameter** 31.8/34.9/36mm
 ■ **Material** AL6061T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 21mm
 ■ **Weight** 37g(34.9)

**CC-071A**

■ **Diameter** 31.8/34.9/36mm
 ■ **Material** AL7075T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** Ti bolt 9.5g Stainless bolt 10.7g

**CC-073A**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 23mm
 ■ **Weight** 31g (28.6)g

**CC-075A**

■ **Diameter** 31.8/34.9/36mm
 ■ **Material** AL7075T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 11mm
 ■ **Weight** Ti bolt 9.5g Stainless bolt 10.7g

**CC-076A**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 12mm
 ■ **Weight** 16.8g

**CC-310**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 12mm
 ■ **Weight** 22g

**CC-311**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Carbon Sticker
 ■ **Height** 12mm
 ■ **Weight** 22g

**CC-312**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 13.6mm
 ■ **Weight** 24.4g (31.8)

**CC-313**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 23.8g (31.8)

**CC-077A**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 23.5mm
 ■ **Weight** 21g

**CC-080A**

■ **Diameter** 34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 14mm
 ■ **Weight** 15.2g

**CC-079A1**

■ **Diameter** 31.8+27.2mm
 31.8+28.6mm/34.9+31.8mm
 ■ **Material** AL6061T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 21mm
 ■ **Weight** 36g (34.9)

**CC-083A**

■ **Diameter** 31.8mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 12mm
 ■ **Weight** 18.4g

**CC-314**

■ **Diameter** 31.8/34.9mm
 ■ **Material** AL6061T6 CNC
 ■ **Finish** Anodized color
 ■ **Height** 11mm
 ■ **Weight** 14.3g (31.8)

**CC-315**

■ **Diameter** 31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 26.0g (34.9)

**CC-316**

■ **Diameter** 28.6/31.8mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 12mm
 ■ **Weight** 15.7g

**CC-317**

■ **Diameter** 28.6/31.8mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 12mm
 ■ **Weight** 18.6g

**CC-085A**

■ **Diameter** 25.4/28.6mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 25.5mm
 ■ **Weight** 56.6g (31.8)

**CC-090A**

■ **Diameter** 25.4/28.6/31.8mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 31.5mm
 ■ **Weight** 50.8g (28.6)

**CC-095A**

■ **Diameter** 25.4/28.6/31.8mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 25mm
 ■ **Weight** 52.2g (28.6)

**CC-095B**

■ **Diameter** 25.4mm/28.6mm
 31.8mm/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 14mm
 ■ **Weight** 23.2g (31.8)

**CC-321**

■ **Diameter** 34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 22.6g

**CC-322**

■ **Diameter** 31.8/34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 33mm
 ■ **Weight** 31.4g (31.8)

**CC-323**

■ **Diameter** 31.8/34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 15mm
 ■ **Weight** 24.9g (34.9)

**CC-324**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 12.5mm
 ■ **Weight** 22g (34.9)

**CC-096A**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 25g (31.8)

**CC-205**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 25.8g (31.8)

**CC-205-1**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 25.8g (31.8)

**CC-206**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 22.4g (31.8)

**CC-901A**

■ **Diameter** 31.8/34.9mm
 ■ **Material** AL6066T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** Ti bolt 13g Stainless bolt 14.5g

**CC-901C**

■ **Diameter** 31.8/34.9mm
 ■ **Material** Carbon Fiber
 ■ **Finish** Carbon
 ■ **Height** 15mm
 ■ **Weight** 12g

**CC-902A**

■ **Diameter** 31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 21g (34.9)

**CC-903A**

■ **Diameter** 31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 21g (34.9)

**CC-206C**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** AL+Carbon
 ■ **Height** 16mm
 ■ **Weight** 23g (31.8)

**CC-212**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 14mm
 ■ **Weight** 32g (34.9)

**CC-306**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 CNC
 ■ **Finish** Anodized color
 ■ **Height** 15mm
 ■ **Weight** 25g (31.8)

**CC-308**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 12.5mm
 ■ **Weight** 22.8g (31.8)

**CC-903B**

■ **Diameter** 31.8/34.9mm
 ■ **Material** AL6061T6 CNC
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 21g (34.9)

**CC-903C**

■ **Diameter** 31.8/34.9mm
 ■ **Material** AL6061T6 CNC
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 21g (34.9)

**CC-7168A**

■ **Diameter** 36.0/31.8/34.9mm
 ■ **Material** AL6066T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 11mm
 ■ **Weight** Ti bolt 9g Stainless bolt 10.3g (34.9)

**CC-7168B**

■ **Diameter** 36.0/31.8/34.9mm
 ■ **Material** AL6066T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 11mm
 ■ **Weight** Ti bolt 9g Stainless bolt 10.3g (34.9)

**CC-325**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 CNC
 ■ **Finish** Anodized color
 ■ **Height** 19mm
 ■ **Weight** 35.0g(31.8)

**CC-723**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 CNC
 ■ **Finish** Anodized color
 ■ **Length** 18mm
 ■ **Weight** 24.8g(34.9)

**CC-734**

■ **Diameter** 36.0/31.8/34.9mm
 ■ **Material** AL6066T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 11mm
 ■ **Weight** Ti bolt 9g Stainless bolt 10.3g (34.9)

**CC-735**

■ **Diameter** 36.0/31.8/34.9mm
 ■ **Material** AL6066T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 12mm

**CC-601**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 15mm
 ■ **Weight** 49.4g (28.6)

**CC-601N**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 15mm
 ■ **Weight** 43.4g (31.8)

**CC-602**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6066T6 CNC
 ■ **Finish** Anodized color
 ■ **Height** 15mm
 ■ **Weight** 45g (34.9)

**CC-605**

■ **Diameter** 31.8mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13.6mm
 ■ **Weight** 38g (31.8)

**CC-300**

■ **Diameter** 25.4/28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 37g(31.8)

**CC-301**

■ **Diameter** 25.4/28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 36 7g(31 8)

**CC-302**

■ **Diameter** 25.4/28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 40g(31.8)

**CC-303**

■ **Diameter** 31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 16mm
 ■ **Weight** 39 5g(34 9)

**CC-607**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 13.6mm
 ■ **Weight** 54.6g (31.8)

**CC-608**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 13.6mm
 ■ **Weight** 54.6g (31.8)

**CC-609**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 54g (34 9)

**CC-610**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 38.2g (31.8)

**CC-304**

■ **Diameter** 25.4/28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 26mm
 ■ **Weight** 41g(34.9)

**CC-305**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13.5mm
 ■ **Weight** 37.9g (31.8)

**CC-500**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 40.6g (31.8)

**CC-501**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 44.5g (31.8)

**CC-611**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Lever Forged
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 47g(34.9)

**CC-616**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 43g(34.9)

**CC-617**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Lever NC
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 36.4g (34.9)

**CC-617N**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Lever NC
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 36.4g (34.9)

**CC-502**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 48.2g (31.8)

**CC-503**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 16mm
 ■ **Weight** 44.9g (28.6)

**CC-505**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 15mm
 ■ **Weight** 52.3g (34.9)

**CC-507**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 48.5g (34.9)

**CC-618**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 42.8g (34.9)

**CC-619**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Lever NC
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 41g (31.8)

**CC-620**

■ **Diameter** 34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 23mm
 ■ **Weight** Stainless bolt 30g

**CC-621**

■ **Diameter** 31.8/34.9mm
 ■ **Material** AL6066T6 FULL CNC Lever Forged
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** Ti bolt 20.5g Stainless bolt 24.5g (34.9)

**CC-509**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 25mm
 ■ **Weight** 22g (34.9)

**CC-600**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 40.8g (34.9)

**CC-600C**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Carbon Sticker
 ■ **Height** 13mm
 ■ **Weight** 40g (31.8)

**CC-600N**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 38.4g (34.9)

**CC-622**

■ **Diameter** 31.8/34.9mm
 ■ **Material** AL6066T6 FULL CNC Lever Forged
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** Ti bolt 19.5g Stainless bolt 21g (31.8)

**CC-700**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 15mm
 ■ **Weight** 40.6g(31.8)

**CC-700-1**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 15mm
 ■ **Weight** 35.6g(31.8)

**CC-700-2**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 15mm
 ■ **Weight** 38g(34 9)

**CC-711**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 CNC Lever Forger
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 32g

**CC-715**

■ **Diameter** 31.8/34.9/36mm
 ■ **Material** AL7075T6 CNC
 ■ **Finish** Anodized color
 ■ **Height** 13.5mm
 ■ **Weight** 25g(31.8)

**CC-716**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 CNC
 ■ **Finish** Anodized color
 ■ **Height** 15.5mm
 ■ **Weight** 34g(34.9)

**CC-717**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 CNC
 ■ **Finish** Anodized color
 ■ **Height** 16.9mm
 ■ **Weight** 37g (31.8)

**CC-718**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 CNC
 ■ **Finish** Anodized color
 ■ **Height** 26mm
 ■ **Weight** 33.6g (34.9)

**CC-719**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 CNC
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 33.3g (31.8)

**CC-721**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 CNC
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 33.3g(31.8)

**CC-722**

■ **Diameter** 16mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm

**CC-736**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 26mm

**CC-737**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 28mm



Adjustable seatpost cable guide

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm

CC-315GE**CC-301GE**

CC-STOPPER Seat post Lockring

■ **Diameter** 27.2/31.6mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Length** 9mm
 ■ **Weight** 7.1g(31.6)



Clamp Whit LED

**CC-066A/LED**

■ **Diameter** 31.8/34.9/36.0mm
 ■ **Material** AL7075T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Length** 13mm
 ■ **LED/Run time** 0.04W/90 hours
 ■ **Battery Size** LR1130
 ■ **Weight** 34g(34.9)

**CC-061AQR/LED**

■ **Diameter** 31.8/34.9/36.0mm
 ■ **Material** AL6061T6 Full CNC Lever Forged
 ■ **Finish** Anodized color
 ■ **Length** 13mm
 ■ **LED/Run time** 0.04W/90 hours
 ■ **Battery Size** LR1130
 ■ **Weight** 32.9g(31.8)

CC-061A/LED

■ **Diameter** 31.8/34.9/36.0mm
 ■ **Material** AL6061T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Length** 13mm
 ■ **LED/Run time** 0.04W/90 hours
 ■ **Battery Size** LR1130
 ■ **Weight** 21.2g(31.8)

Handle Bar Cap

■ **Material** AL 6061T6 CNC ■ **OD** 16-20mm ■ **Finish** Anodized color ■ **Size** 19mm

**CC-HP07**
27.5g/PR**CC-HP09**
18g/PR

■ **Id** 22.2mm
 ■ **Size** 28.6mm

**CC-HP13****CC-HP12****CC-HP08** 30g/PR

■ **Led** 0.04W
 ■ **Run time** 90 hours
 ■ **Battery Size** LR1130

**CC-HP11** 94.2g/PR

■ **Length** 40mm
 ■ **OD** 16~20mm
 ■ **Size** 22.2mm



STEM

**CC-DH705**

Diameter
Bar Bore
Angle
Length
Ext
Material
Finish

31.8mm / 35mm
 50mm;Angle:0°

50mm

Full CNC-machined AL6061T6
 Anodized Color

**CC-DH706**

31.8mm / 35mm
 47/55mm;Angle: 30°

47/55mm

Full CNC-machined AL6061T6
 Anodized Color

**CC-DH707**

28.6mm
 31.8mm /35mm
 0°

38mm

50mm

Full CNC-machined AL6061T6
 Anodized Color

**CC-DH708**

Diameter
Bar Bore
Angle
Length
Ext
Material
Finish

28.6mm
 31.8mm /35mm
 0°

35mm

40mm

Full CNC-machined AL6061T6
 Anodized Color

**CC-RD7810**

28.6mm
 31.8mm
 ± 6°

38mm

60-120mm

3D Forged AL6061T6
 AL + Carbon

**CC-RD7820**

28.6mm
 ± 6°

60/80/100/120mm

AL6061T6 CNC
 Anodized Color

Quick Releases

SUPER LIGHT




CC-QR701

- **Material** Lever AL7075T6 CNC
Axle is Ti or Cr-mo
- **Length** F:M5*112-114mm
R:M5*148/153mm
- **Weight** Ti Bolt 44g



CC-QR702

- **Material** Lever AL7075T6 CNC
Axle is Ti or Cr-mo
- **Length** F:M5*112-114mm
R:M5*148/153mm
- **Weight** Ti Bolt 48.6g




CC-QR704

- **Material** Lever AL606T6 Forger
Axle is Ti or Cr-mo
- **Length** F:M5*112-114mm
R:M5*148/153mm
- **Weight** Ti Bolt 43g/PRS



CC-QR705

- **Material** Lever AL606T6 Forger
Axle is Ti or Cr-mo
- **Length** F:M5*112-114mm
R:M5*148/153mm
- **Weight** Ti Bolt 43g/PRS



CC-QR706

- **Material** Lever AL6061T6 Full CNC
Axle is Titanium
- **Length** F:M5*112-114mm
R:M5*148/151mm
- **Weight** Ti Bolt 51g/PRS



CC-QR707

- **Material** Lever AL7075T6 CNC
Axle is Ti or Cr-mo
- **Length** F:M5*112-114mm
R:M5*148/153mm
- **Weight** Ti Bolt 44g



CC-QR803

- **Material** Lever AL6061T6
Axle is Cr-mo
- **Length** F:M5*112-114mm
R:M5*148/151mm
- **Weight** 130g/PRS



CC-QR805

- **Material** Lever AL6061T6
Axle is Cr-mo
- **Length** F:M5*112-114mm
R:M5*148/151mm
- **Weight** 125g/PRS



CC-QR806

- **Material** Lever AL6061T6
Axle is Cr-mo
- **Length** F:M5*112-114mm
R:M5*143/148/151mm
- **Weight** 105g/PRS



CC-QR808

- **Material** Lever AL6061T6 Forger
Axle is Cr-mo
- **Length** F:M5*112-114mm
R:M5*143/151mm
- **Weight** 120g/PRS



CC-QR812

- **Material** Lever AL6061T6
Axle is Cr-mo
- **Length** F:M5*112-114mm
R:M5*148/151mm
- **Weight** 103g/PRS

CC-10

- **Material** AL6061T6
Axle is Cr-mo
- **Diameter** M6/M8*45/50/55/60mm
- **Weight** 33.4g(50mm)



CC-QR807

- **Material** Lever AL6061T6 Forged
Axle is Cr-mo
- **Length** F:M5*112-114mm
R:M5*143/148/151mm
- **Weight** 123g/PRS



CC-QR811

- **Material** Lever AL6061T6
Axle is Cr-mo
- **Length** F:M5*112-114mm
R:M5*143/148/151mm
- **Weight** 107g/PRS



CC-QR11/12

- **Material** Lever AL6061T6
Axle is Cr-mo
- **Length** F:M5*112-114mm
R:M5*153mm
- **Weight** 97.3g

CC-QR16

- **Material** AL6061T6
Axle is Cr-mo
- **Diameter** M6/M8*45/50/55/60mm
- **Weight** 30.4g(45mm)



CC-QR17

- **Material** AL6061T6
Axle is Cr-mo
- **Diameter** M6/M8*45/50/55/60mm
- **Weight** 32.1g



Free Style Hub Nut



CC-HN01

- AL 7075T6
- M10*P1.0 or 3/8" x 26T L:15mm
- M14*P1.0 L20mm

Bar Ends

■ **Material** Head Dig Casting : AL6061T6 Tube : AL6061T6



CC-169
Length 130mm



CC-169A
Length 130mm



CC-169C
Length 130mm
Carbon Sticker



CC-269
Length 95mm



CC-369A
Length 80mm



CC-369C
Length 80mm



CC-569C
Length 45mm



CC-AC23
Length 85mm
Weight 68g
Material AL6061T6 & Carbon



CC-AC32
Length 110mm
Weight 140g
Material AL6061T6 & Carbon



CC-EB10
Length 110mm
Weight 93g
Material AL6061T6 3D Forged Full CNC-machined
Finish Anodized Color



CC-EB23PC
Length 85mm
Weight 62g/PR
Material AL6061T6 3D Forged Full CNC-machined
Finish Powder Coated



CC-EB12C
Length 110mm
Weight 165g
Material AL6061T6 3D Forged-One Piece
Finish Carbon Sticker



CC-EB12 / CC-EB12S
Length 110mm/60mm
Weight 155g/121g
Material AL6061T6 3D Forged-One Piece
Finish Sand Anodized Color



CC-EB23
Length 85mm
Weight 58g/PR
Material AL6061T6 3D Forged Full CNC-machined
Finish Anodized Color



CC-EB09
Length 210mm
Weight 133g
Material AL6061T6 3D Forged
Finish Anodized Color



CC-EB23-1A
Length 85mm
Weight 76g/PR
Material AL6061T6 3D Forged
Finish (Sand) Anodized Color



CC-EB23-1



CC-EB24
Length 85mm
Weight 52.5g/PR
Material AL6061T6 3D Forged Full CNC-machined
Finish Anodized Color



CC-EB24S



CC-EB25/25.4
Length 75mm
Weight 65/55g PR
Material AL6061T6 3D Forged Full CNC-machined
Finish Anodized Color



CC-EB25/22.2
OD:25.4/22.2mm



CC-EB28
Length 80mm
Weight 60g
Material AL6061T6 3D Forged Full CNC-machined
Finish Anodized Color



CC-EB29
Length 145mm
Weight 135g
Material AL6061T6 3D Forged
Finish Sand Anodized Color



CC-EB30
Length 130mm
Weight 140g
Material AL6061T6 3D Forged
Finish Sand Anodized Color



CC-EB31
Length 110mm
Weight 115g
Material AL6061T6 3D Forged
Finish Sand Anodized Color



CC-EB35
Length 110mm
Weight 130g
Material AL6061T6 3D Forged
Finish Anodized Color




CC-EB32
Length 110mm
Weight 130g
Material AL6061T6 3D Forged
Finish Sand Anodized Color



CC-EB33
Length 110mm
Weight 155g
Material AL6061T6 3D Forged
Finish Sand Anodized Color



CC-EB34
Length 110mm
Weight 170g
Material AL6061T6 3D Forged
Finish Sand Anodized Color



Seat Post



CC-109CA

■ Diameter	27.2/30.9/31.6mm
■ Material	Carbon Fiber With Tibolt
■ Finish	Anodized Color
■ Length	300/350/400mm
■ Weight	27.2mm*300mm-Ti 142.8g



CC-109A

■ Diameter	27.2/30.9/31.6mm
■ Material	AL7075T6 CNC machined with Tibolt or Cr-mo
■ Finish	Anodized Color
■ Length	350/410mm
■ Weight	27.2mm*410mm-Ti 217g



CC-201A

■ Diameter	27.2mm
■ Material	AL6061T6 Forged
■ Finish	Anodized Color
■ Length	300/350/400mm



CC-106A

■ Diameter	25.4/27.2/28.6mm
■ Material	AL6061T6 Die Casting / Forged
■ Finish	Anodized Color
■ Length	300-350mm



CC-106B

■ Diameter	25.4/27.2mm
■ Material	AL6061T6 CNC machined/Forged
■ Finish	Anodized Color
■ Length	300-350mm



CC-106C

■ Diameter	25.4/27.2mm
■ Material	AL6061T6 CNC machined/Forged
■ Finish	Anodized Color
■ Length	300-350mm



CC-106D

■ Diameter	25.4/27.2mm
■ Material	AL6061T6 CNC machined/Forged
■ Finish	Anodized Color
■ Length	300-350mm



CC-102A

■ Diameter	22.2/25.4/26.8/27.2mm
■ Material	AL6061T6
■ Finish	Anodized Color
■ Length	200/250/300/350mm



CC-105A

■ Diameter	25.4/27.2/28.6mm
■ Material	AL6061T6
■ Finish	Anodized Color
■ Length	300-350mm



CC-105C

■ Diameter	25.4/27.2/28.6mm
■ Material	AL6061T6
■ Finish	Carbon Sticker
■ Length	300-350mm



CC-106AC

■ Diameter	25.4/27.2/28.6mm
■ Material	AL6061T6 Die Casting / Forged
■ Finish	Carbon Sticker
■ Length	300-350mm



CC-110A

■ Diameter	25.4mm
■ Material	AL6061T6 Die Casting / Forged
■ Finish	Anodized Color
■ Length	200-350mm



CC-SLEEVE

■ Diameter	As Order
■ Material	AL6061T6
■ Finish	As Order
■ Length	As Order



CC-SHIM

■ Diameter	As Order
■ Material	AL6061T6
■ Finish	As Order
■ Length	As Order



CC-101C

■ Diameter	22.2mm
■ Material	AL6061T6
■ Finish	Anodized Color
■ Length	300-500mm



CC-101CT

■ Diameter	22.2mm
■ Material	AL6061T6 CNC
■ Finish	Anodized Color
■ Length	400-500mm



CC-101CT-1

■ Diameter	22.2mm
■ Material	AL6061T6 CNC
■ Finish	Anodized Color
■ Length	400-500mm



CC-101CT-2

■ Diameter	22.2mm
■ Material	AL6061T6 CNC
■ Finish	Anodized Color
■ Length	400-500mm



CC-103C

■ Diameter	25.4mm
■ Material	AL6061T6
■ Finish	Anodized Color
■ Length	350-500mm



CC-103CT

■ Diameter	25.4mm
■ Material	AL6061T6
■ Finish	Anodized Color
■ Length	400-500mm



CC-101D

■ Diameter	22.2mm
■ Material	AL6061T6
■ Finish	Anodized Color
■ Length	300-500mm



CC-101DT

■ Diameter	22.2mm
■ Material	AL6061T6 CNC
■ Finish	Anodized Color
■ Length	400-500mm



CC-101DT-1

■ Diameter	22.2mm
■ Material	AL6061T6
■ Finish	Anodized Color
■ Length	400-500mm



CC-101A

■ Diameter	22.2mm
■ Material	AL6061T6
■ Finish	Anodized Color
■ Length	300-500mm



CC-101AT

■ Diameter	22.2mm
■ Material	AL6061T6 CNC
■ Finish	Anodized Color
■ Length	300-500mm



CC-101B

■ Diameter	22.2mm
■ Material	AL6061T6 CNC
■ Finish	Anodized Color
■ Length	400-500mm



CC-101B-1

■ Diameter	22.2mm
■ Material	AL6061T6 CNC
■ Finish	Anodized Color
■ Length	400-500mm



CC-101B-2

■ Diameter	22.2mm
■ Material	AL6061T6 CNC
■ Finish	Anodized Color
■ Length	400-500mm



CC-103A

■ Diameter	25.4mm
■ Material	AL6061T6
■ Finish	Anodized Color
■ Length	300-500mm



CC-103B

■ Diameter	25.4mm
■ Material	AL6061T6 CNC
■ Finish	Anodized Color
■ Length	400-500mm

TOP CAP

Star Nut

- Material AL6061T6
- Finish Anodized Color
- Size 1"/1-1/8"
- Bolt Stainless or Cr-mo

CC-SP01A



CC-SP02C

Carbon Fiber 7.8g



CC-SP01
26g



CC-SP02
Carbon 27g



CC-SP10
M10 x P1.25



CC-SP03
18 / 32 / 52
41g



CC-SP04
18 / 32 / 52
Cap Carbon
45.5g



CC-SP13
21g



CC-SP15
26.5g



CC-SP17
24g



CC-SP14
36g



CC-SP16
18 / 32 / 52
41.5g(18mm)



CC-SP19
26g



CC-SP23
OD: 32 / 34 / 46
22g(34mm)



CC-SP23C
OD: 32 / 34 / 46



CC-SP18
50.5g



CC-SP20
50g(32mm)



CC-SP23-32
OD: 32 / 34 / 46
25g(34mm)



CC-SP25
25g



CC-SP24
18 / 32 / 52
39.5g(18mm)



CC-SP24-32
18 / 32 / 52



CC-SP26
18 / 32 / 52



CC-SP2006
OD: 36mm
Size: 22mm
M14 Cr-mo bolt



CC-SP30
Material Alloy 7075T6

Alloy Plug

- Material AL6061T6
- Finish Anodized Color
- OD 22-26mm
- Length 18/32/52
- Bolt Stainless or Cr-mo




CC-RH701AC

- Center 31.8mm
- Material AL6061T6 DB+ Carbon
- Width 400 / 420 / 440mm
- Weight 315g



CC-RH3KAC

- Center 31.8mm
- Material AL6061T6 TRI-BUTTED
- Width 400 / 420 / 440mm
- Weight 300g



CC-08

- Center 22.2mm
- Width 190 To 310mm
- Material AL 6061T6
- Finish Anodized Color



CC-09

- Center 22.2mm
- Width 190 To 310 mm
- Material Steel
- Finish Anodized Color



CC-09-1

- Center 22.2mm
- Width 190 To 310mm
- Material AL 6061T6
- Finish Anodized Color

DOWNHILL/FREERIDE/XC SERIES



CC-MTB215A FOR XC LOW-RIZER BAR

- | | |
|----------------------------|----------------------------|
| ■ Material AL6061T6 BUTTED | ■ Material AL6061T6 BUTTED |
| ■ Center 25.4mm | ■ Center 31.8mm |
| ■ Rise 18° | ■ Rise 20° |
| ■ Width 620 / 640mm | ■ Width 630 / 660mm |
| ■ Bend 6° | ■ Bend 6° |
| ■ Upsweep 3° | ■ Upsweep 3° |
| ■ Weight 280g(620mm) | ■ Weight 270g(630mm) |



CC-MTB200AC FOR XC Carbon BAR

- Material AL6061T6 DB+ Carbon
- Center 25.4 / 31.8mm
- Rise 20°
- Width 620 / 660mm
- Weight 175g(25.4x620mm)
205g(31.8x620mm)



CC-MTB200C FOR XC Full Carbon BAR

- Material Full Carbon
- Center 25.4 / 31.8mm
- Rise 20°
- Width 700mm
- Bend 9°
- Weight 170g

Stem adjuster



CC-ST2

- Material AL6061T6
- Base dia 28.6mm
- Height 100
- 8mm spacer*1



CC-STH1

- Material AL6061T6
- Base dia 28.6mm
- Height 117
- 8mm spacer*1
- 5mm spacer*4

Chain Tensioner



CC-CA02
Material AL 6061T6
OD 10mm
Finish Anodized Color



CC-CA04
Material AL6061T6
OD 10mm or 14mm
Finish Anodized Color



CC-CA05
Material AL6061T6
OD 10mm or 14mm
Finish Anodized Color



CC-FH01
ID:28.6MM
length 34MM
Material Alloy6061T6
Finish Anodized Color



CC-FH02
ID:25.4/28.6MM
Material Alloy6061T6
Finish Anodized Color



CC-CAB01
AL6061T6
0.6g



CC-414E PVC Guide
Material PVC
Finish BLACK
M4 & M5 Bolt



CC-VT90
Material ALLOY OR STAINLESS
RISE 90°




CC-VT130
Material ALLOY OR STAINLESS
RISE 135°

CC-VT01
Material STAINLESS
INFINITE AND EASY
ADJUSTABLE

Chain Cover

Material Alloy 6061T6
Finish Anodized Color



CC-CG03B
Alloy CNC Guard
THICKNESS 3mm
Guard for BCD 110mm



CC-CG04B
Alloy CNC Guard
THICKNESS 3mm
For BCD 130mm



CC-CG05B 32T-34T
Alloy CNC Guard
THICKNESS 4mm
For BCD 104mm

Chainring

Material Full CNC AL7075 / AL6061 Thickness 5mm / 6mm
Available teeth 23T-39T



CC-ST01




CC-ST03



CC-ST12



CC-ST13



CC-CH 36T-53T
THICKNESS 4.4mm
BCD 104mm
For Single speed



CC-CHA 36T-53T
THICKNESS 4.4mm
BCD 130mm
For Single speed




CC-FR01
THICKNESS 6mm
AVAILABLE TEETH
16T~19T
BC:1.37-24TP



CC-FR02
THICKNESS 5mm
AVAILABLE TEETH
16T~19T
BC:1.37-24TP

Chain Cover

Material Alloy 6061T6
Finish Anodized Color



CC-CG03B
Alloy CNC Guard
THICKNESS 3mm
Guard for BCD 110mm



CC-CG04B
Alloy CNC Guard
THICKNESS 3mm
For BCD 130mm



CC-CG05B 32T-34T
Alloy CNC Guard
THICKNESS 4mm
For BCD 104mm




CC-FS30T
Front Chainwheel
Narrow wide tooth
Alloy 7075T6 CNC
Thickness 8MM
For BCD 104mm

CC-RS42T 40T / 42T
+STEEL 16T
Rear Sprockets
Alloy 7075T6 CNC
Thickness 4MM
Fits shimano Only



CC-FS32T 32T-38T
Front Chainwheel
Narrow wide tooth
Alloy 7075T6 CNC
Thickness 4.2MM
For BCD 104mm



Spacer

Alloy Spacer

■ Diameter 25.6/28.8mm
 ■ Lenght 2/3/5/8/10/15/20mm
 ■ Material AL6061T6
 ■ Finish Anodized Color



Carbon Spacer



Front Derailleur Clamp

■ Diameter 31.8 / 34.9mm
 ■ Material AL 6061T6 CNC
 ■ Finish Anodized color



BB Type	BB Shell Width	Dimension between BB Center & M6 Center
Threaded	68MM	8
	73MM	10.5
	83MM	8
pressfit	89.5MM	18.75
	92MM	21.25

Valve Cap

■ Material AL6061T6
 ■ Finish Anodized Color



Chain Catch



Compatibility Chart:

Crank	Manufacturer	K-Edge Dirt Triple Compatibility
XTR FC-M970	Shimano	K13-201
XTR FC-M960	Shimano	K13-201
XT FC-M760	Shimano	K13-201
SLX FC-M660	Shimano	K13-201
Deore FC-M540	Shimano	K13-201
Hone FC-M600	Shimano	K13-201
Deore FC-M580	Shimano	K13-201
Saint FC-M800	Shimano	K13-201
Next Carbon XC	Race Face	K13-201

10T/11T/16T


Material Alloy 7075T6 CNC **Finish** Anodized Color



CC-RD11 9.5g



CC-RD12 9g



CC-RD13 11.2g



CC-RD13-1
M4 Bolt



CC-RD14 14.5g




CC-RD15
Alloy




CC-RD15-PO
Plastic



CC-RD16
only 10T



CC-RD17



CC-RD18

Pully Bolt



CC-PB01
AL7075T6
M5x15

Crank Bolt




CC-CHB01
For SHIMANO Road
■ **Material** AL7075T6
■ **Length** M20 24.7X10.7L
■ **Finish** Anodized Color




CC-CHB01-1
For SHIMANO Road
■ **Material** AL7075T6
■ **Length** M20 24.7X10.7Lmm
■ **Finish** Anodized Color

Chain Bolt



CC-CKB01
■ **Material** AL7075T6
■ **Length** M8-0.75X6.5L For Road
M8-0.75X8.5L For MTB
■ **Finish** Anodized Color



CC-CHB02
For SRAM MTB
■ **Material** AL7075T6
■ **Length** M15 25.8X12.8Lmm
■ **Finish** Anodized Color



CC-CHB03
For SHIMANO MTB
■ **Material** AL7075T6
■ **Length** M20 28X9.0Lmm
■ **Finish** Anodized Color



CC-CKB02
■ **Material** AL7075T6
■ **Length** M8-0.75X6.5L For Road
M8-0.75X8.5L For MTB
■ **Finish** Anodized Color



CC-CKB03
■ **Material** AL7075T6
■ **Length** M8x0.75x10L For SRAM
M10x0.75x6.0L For SRAM
■ **Finish** Anodized Color



CC-CKB04
■ **Material** AL7075T6
■ **Length** M8x0.75x6.5L For Road
M8x0.75x8.5L For MTB
■ **Finish** Anodized Color

Pully Cage

CC-PC01 For Road

Pulley 16T/11T Combination
Material Alloy 7075T6
Finish Anodized Color
Bearings Japanese or Ceramic



CC-PC03 For SRAM

Pulley 16T/11T Combination
Material Alloy 7075T6
Finish Anodized Color
Bearings Japanese or Ceramic



CC-MT112



CC-MT111



CC-MT300CA



CC-MT204



CC-MT502



CC-MT501



CC-MT407



CC-MT300 Super Mini



Computer Adapter

P.A.T

CC-AD01

- Computer / Lighting Adapter
- Diameter 31.8 mm, Bore:22.2mm
- Material AL6061T6
- Full CNC-machined
- Length 70mm
- Weight 45g
- Finish Anodized Color

CC-AD01C

- Weight 48g
- Finish AL + Carbon

CC-AD04

- Computer / Lighting Adapter
- Diameter 31.6mm
- whit shim for 25.4/26mm, Bore:22.2mm
- Material AL6061T6
- Finish Anodized Color

CC-AD04A

- Computer / Lighting Adapter
- Diameter 31.6mm
- whit shim for 25.4/26mm*2SET
- Bore:22.2mm
- Material AL6061T6
- Finish Anodized Color

CC-AP020

- Diameter 25mm
- Material AL6061T6
- Length 40mm
- Thread M5 x P0.8 x 20mm
- Finish Anodized Color

CC-AP010

- Diameter 25mm
- Material AL6061T6
- Length 40mm
- Finish Anodized Color

CC-CE01

- Material AL6061T6
- Size 1-1/8"
- Finish Anodized color
- Weight 75g


CC-AD13

Headset spacer mount Accessory holder
Ultra light weight accessory holder
replaces a 1-1/8 Headset spacer.
Not recommended for heavier accessories (maximum: 250g)

Material AL6061

ID 28.6mm

Finish Anodized Color



CC-AD10

- Weight 19g



CC-AD11

with silicon band



CC-PCN01

Number clamp for seatpost



CC-AD12

- Material aluminum shell
- LED, lilicon band
- Weight 12g



AXLE PEG



CC-F015

Material AL 6061T6

Diameter(mm) Ø 24

Length(mm) 75

Thread(mm) 3/8" x 26T

Finish Anodized Color



CC-F016

Material AL 6061T6

Diameter(mm) Ø 28

Length(mm) 100

Thread(mm) 3/8" x 26T

Finish Anodized Color



CC-F018

Material AL 6061T6

Diameter(mm) Ø 19

Length(mm) 65

Thread(mm) 3/8"x26T

Finish Anodized Color



CC-F020

Material AL 6061T6

Diameter(mm) Ø 25

Length(mm) 75

Thread(mm) 3/8"x26T

Finish Anodized Color



CC-F022

Material AL 6061T6

Diameter(mm) Ø 38, Ø 50

Length(mm) 110

Thread(mm) 3/8" x 26T or M10 x 1.25

Finish Anodized Color



CC-F026

Material Steel

Diameter(mm) Ø 38

Length(mm) 110

Thread(mm) 3/8" x 26T or 14

Finish CP or ED (black)



CC-F030

Material AL 6061T6

Diameter(mm) Ø 38, Ø 50

Length(mm) 110

Thread(mm) 3/8"x26T or M10x1.25

Finish Anodized Color or Steel



CC-F031

Material AL 6061T6

Diameter(mm) Ø 38, Ø 50

Length(mm) 110

Thread(mm) 3/8"x26T or M10x1.25

Finish Anodized Color or Steel



CC-F032

Material AL 6061T6

Diameter(mm) Ø32, Ø38, Ø50

Length(mm) 110

Thread(mm) 3/8"x26T or M10x1.25

Finish Anodized Color or Steel



CC-F035

Material AL 6061T6

Diameter(mm) Ø 32

Length(mm) 110

Thread(mm) 3/8"x26T or M10x1.25

Finish Anodized Color



CC-F038

Material Steel

Diameter(mm) Ø 38

Length(mm) 110

Thread(mm) 3/8" x 26T or 14

Finish CP or ED



CC-F040

Material Steel

Diameter(mm) Ø 38

Length(mm) 110

Thread(mm) 3/8" x 26T or 14

Finish CP or ED



CC-F041

Material AL 6061T6

Diameter(mm) Ø 38

Length(mm) 110

Thread(mm) 3/8" x 26T or M10 x 1.25

Finish Anodized Color



CC-S102

Material Steel

Finish CP or BK

Chain Guide System



CC-VCT11

Vertical Chain Tensioner

Material AL 6061T6

finish Anodized Color



CC-VCT12

Vertical Chain Tensioner

Material AL 6061T6

finish Anodized Color



CC-CG01

Material AL 6061T6

CC-CHD01

HANGER FOR DERAILLEUR

Material AL6061T6

finish Anodized Color



CC-VCT21-1

Vertical Chain Tensioner /Dual Cog Version

Material Alloy 6061T6

finish Anodized Color



Bottle Cage

■ **Material** Carbon Fiber



CC-BC01

■ **Weight** 27.4g



CC-BC03

■ **Weight** 27.5g



CC-BC15

■ **Weight** 26g



CC-BC17

■ **Weight** 8g



CC-BC18

■ **Weight** 23.0g



CC-BC20

■ **Weight** 23g