

Series

Artistic Creativity



Premium ALUMINIUM series

Much tougher than AL6061, we use mainly M6 and AL7150 for handle bars, bar ends and accessories, varies by each product's needs.



Premium SCANDIUM series

Scandium alloy is used on Russian fighter jet MiG-21 and MiG-29 and aerospace industry components. Light weight and strength of scandium, X evo brings to you the military grade bicycle components



Premium TITANIUM series

Titanium alloys are used on our skewer axles. Not only superb tensile strength and toughness, super light weight makes it the top choice to be.



Premium CARBON series

Our raw carbon material comes from TENAX Japan, and professionally weaved to highest quality and standards.



Mountain Bike

M13 650B 27.5"



M20SL 650B 27.5"

Parts	Description	Brand
Frame	UD Carbon	TITANOS
Fork	Marvel 27.5 Expert Remote Lock Out	MANITOU
Stem	Team Issue / UD Carbon	PSA
Handlebar	X-Zenith/HB-XF1.0SL (Super Light), UD Carbon	AGOGO
Seat Post	X-Zenith/SP-XS1.0SL (Super Light), UD Carbon	AGOGO
Drivetrain	XO	SRAM
Tire	MAXXIS 27.5x2.1 M309P	MAXXIS
Wheelset	X-NEO/WH-XX5.0	TITANOS

Weight: 18"/10kg

Parts	Description	Brand
Frame	UD Carbon	TITANOS
Fork	FS RVL RL 6515SA100 BLK T RMT	SRAM
Stem	X-Zenith / ST-XS1.0SL (Super Light) UD Carbon	AGOGO
Handlebar	X-Zenith/HB-XF1.0SL (Super Light), UD Carbon	AGOGO
Seat Post	X-Zenith/SP-XS1.0SL (Super Light), UD Carbon	AGOGO
Drivetrain	XX S3	SRAM
Tire	MAXXIS 27.5x2.1 M309P	MAXXIS
Wheelset	X-NEO/WH-XX5.0	TITANOS

Weight: 17.5"/9.1kg

Mountain Bike

XC6 650B 27.5"



Parts	Description	Brand
Frame	UD Carbon	TITANOS
Fork	Marvel 27.5 Expert Remote Lock Out	MANITOU
Rear Shock	Radium Expert Milo Lock Out	MANITOU
Stem	X-Zenith/HB-XS1.0SL (Super Light), UD Carbon	AGOGO
Handlebar	X-Zenith/HB-XF1.0SL (Super Light), UD Carbon	AGOGO
Seat Post	X-Zenith/SP-XS1.0SL (Super Light), UD Carbon	AGOGO
Drivetrain	XT Disc	SHIMANO
Tire	MAXXIS 27.5x2.1 M309P	MAXXIS
Wheelset	X-NEO/WH-XX5.0	TITANOS

Weight: 18"/11.15kg



ROAD BIKE



2014
New Collection
Agogo Bike
Page 05

R13

Road Racing Bike

Parts	Description	Brand
Frame	UD Carbon	TITANOS
Fork	UD Carbon	TITANOS
Stem	X-Zenith/HB-XS1.0SL (Super Light), UD Carbon	AGOGO
Handlebar	X-Zenith/HB-RD1.0	AGOGO
Seat Post	X-Zenith/SP-XS2.0SL (Super Light), UD Carbon	AGOGO
Drivetrain	ULTEGRA D12	SHIMANO
Tire	ATOM 700*21C	HUTICHISON
Wheelset	X-NEO/WH-SS2.0	AGOGO

Weight: 500mm / 6.8kg

Mountain Bike



2014
New Collection
Agogo Bike
Page 06

29ER M15

Mountain Bike C-T: 15" 17" 19" 21" (15"/9.2kg)

Parts	Description	Brand
Frame	TITANOS Super Strength Alloy 6066	TITANOS
Fork	FS SID RLT 29QRSA100 WHITE	SRAM
Stem	X-Zenith/HB-XS1.0SL (Super Light), UD Carbon	AGOGO
Handlebar	X-Zenith/HB-XF1.0SL (Super Light), UD Carbon	AGOGO
Seat Post	X-Zenith/SP-XS1.0SL (Super Light), UD Carbon	AGOGO
Drivetrain	X.X.BB PF-30	SRAM
Tire	MAXXLITE 29x2.0 M324P	MAXXIS
Wheel Set	X-NEO/WH-XX2.0 (29ER)	AGOGO

Weight: 15"/9.2kg

FRAME SET




FM-M13

650B 27.5" CARBON FRAME

Frame: UD Carbon With AGOGO Headset
With AGOGO Seatpost Clamp
With 4pcs Alloy 7075 bottle cage bolts
BB: PF-30 Weight: 167/1300g ±/50g

No. Size	A	B	C	D	E	F	G	H	I	J	K
16"	432	570	105	618	73	53	599	39	1043	387	485
18"	458	595	120	644	73	53	613	39	1063	408	485
20"	508	620	140	670	73	53	632	39	1094	427	485




FM-M20SL

650B 27.5" CARBON FRAME C-T:15.5" 17.5" 19" 20.5"

Frame: UD Carbon
With AGOGO Headset
With AGOGO Seatpost Clamp X-Neo/SC-XS3.0
With 4pcs Alloy 7075 bottle cage bolts
BB: BB-92/FD/DIRECT MOUNT
Weight: 17.5/1895g±50g

No. Size	A	B	C	D	E	F	G	H	I	J	K
17.5"	440	595	115	653	73	50	603	43	1078	410	485




FM-XC1

29ER CARBON FRAME

Frame: UD Carbon
With AGOGO Headset
With AGOGO Seatpost Clamp
With 4pcs Alloy 7075 bottle cage bolts
BB: PF-30
Weight: 17.5/2100±50g

No. Size	A	B	C	D	E	F	G
15.5"	395	565	73.6	71	105	452	1079
17.5"	448.5	598.1	73.6	71	115	452	1112.7
19"	483	617	73.6	71	125	452	1132
21"	533	638	73.6	71	135	452	1153.5

Interchangeable dropouts
135mm X QR9mm and 142mm X thru axle 12mm




FM-XC6

650B 27.5" CARBON FRAME

Frame: UD Carbon
With AGOGO Headset
With AGOGO Seatpost Clamp
With 4pcs Alloy 7075 bottle cage bolts
BB: PF-30/FD/DIRECT MOUNT
Weight: 187/198kg±0.05kg

No. Size	A	B	C	D	E	F	G	H
16"	415	570	100	73.8	435	1106.1	556.8	408.4
18"	440	600	110	73.8	435	1137.1	566.1	435.6
20"	470	625	120	73.8	435	1163.1	574.9	457.9

Interchangeable dropouts
135mm X QR9mm and 142mm X thru axle 12mm



FM-R10SL Athena

Road Racing Carbon Frame

Frame: 8F woven carbon, Fork: 8F woven carbon steerer

1 1/8" - 1 1/2" Asymmetric head tube BB30


Integrated carbon rear red

With AGOGO carbon seat post With AGOGO headset and 4pcs Alloy 7075 bottle cage bolts

With "water drop" shape seat clamp Weight (540mm): 1112g for frame & 447g for fork

Color: Wet White / Shine Red / Nature Green

No. Size	A	B	C	E	F	G	H	I	J	K	L
480	480	70	520	74.8	71.3	105	39	410	576.1	370	425
500	500	70	525	74.3	71.3	110	39	410	576.6	370	445
520	520	70	537	74	72	115	39	405	579.3	370	465
540	540	70	543	74	72.5	135	39	405	580.6	370	485
560	560	70	555	73.5	73.5	150	39	405	579.2	370	506
580	580	70	570	73.5	73.5	170	39	405	594.4	370	525



CARBON STEM and SEATPOST

ALLOY HANDLE BAR



Carbon Seatpost

Item No.	Type	FINISH	DIAMETER Ø	OFFSET	SIZE / mm	WEIGHT(+ / - 10g)
X-Zenith / SP-XS1.0SL	Flat	UD/Wet White	27.2/30.9/31.6mm	0°	350/400mm	170g(31.6mm, 400mm)
X-Zenith / SP-XS2.0SL	Riser	UD/Wet White	27.2/30.9/31.6mm	15°	350/400mm	174g(31.6mm, 400mm)

Carbon Tube & Cap & Bottom Clamp Titanium Bolts & Alloy Column Washer



Carbon Stem

Item No.	FINISH	BAR BORE Ø	STEERER	STEERER HEIGHT	ANGLE	SIZE / mm	WEIGHT
X-Zenith/ST-XS1.0SL	UD/Wet White	31.8mm	28.6mm	40mm	84° / 6°	80,90,100,110,120,130	92g / 110mm

*With titanium bolts and stainless washer



FLAT BAR	MATERIAL	FINISH	BAR BORE Ø	Up & Down Sweep	Front & Back Sweep	WIDTH SIZE	WEIGHT ±10g
X-NEO / HB-XF6.0	M6 ALLOY	POLISHED COLORS	31.8	-	-	580 / 600mm	158g (580mm)
X-NEO / HB-XF7.0	7150 ALLOY	SAND / POLISH BLACK	31.8	-	-	580mm	144g (580mm)
X-NEO / HB-XF8.0	SCANDIUM	SAND BLACK	31.8	-	-	580 / 600mm	125g (580mm)
			25.4	-	-	580 / 600mm	121g (580mm)

RISER BAR	MATERIAL	FINISH	BAR BORE Ø	Up & Down Sweep	Front & Back Sweep	WIDTH SIZE	WEIGHT ±10g
X-NEO / HB-XR6.0	M6 ALLOY	POLISHED COLORS	31.8	6°	7°	620 / 660mm	203g (620mm)
X-NEO / HB-XR7.0	7150 ALLOY	SAND / POLISH BLACK	25.4	6°	7°	620 / 660mm	
X-NEO / HB-XR8.0	SCANDIUM	SAND BLACK	31.8	6°	6°	620mm	192g (620mm)
			31.8	6°	6°	620 / 660mm	178g (620mm)

ROAD BAR	MATERIAL	FINISH	BAR BORE Ø	REACH	DROP	WIDTH SIZE	WEIGHT ±10g
X-NEO / HB-SS6.0	M6 ALLOY	POLISHED COLORS	31.8	89.7mm	144mm	420 / 440mm	302g (420mm)
X-NEO / HB-SS7.0	7150 ALLOY	SAND / POLISH BLACK	31.8	89.7mm	144mm	420mm	271g (420mm)
X-NEO / HB-SS8.0	SCANDIUM	SAND BLACK	31.8	89.7mm	144mm	380 / 400 / 420 / 440mm	225g (420mm)

M6 ALLOY BAR

M6 (Al-Mg-Si-CU) Alloy strength is 1.3 times if compared to traditional 6061. It's better transverse strength and stress-corrosion cracking resistance.

7150 ALLOY BAR

7150-T6x alloy after professional treatment results in "tensile strength", "yield strength" and "elongation" are much better than traditional 7050 and 7075 Alloy.

SCANDIUM ALLOY BAR

A600SC the strength is 2.2 to 3 times if compared to traditional 6061 alloy. It's alternative material of Ti-3AL-2.5V but with affordable price range.



CARBON HANDLE BAR



EMBOSSSED LOGO



SUPER LIGHT

CARBON HANDLE BAR
 Monocoque carbon.
 Unique monocoque embossed logo design.
 Stem clamp area with bead-blasted finish for reducing risk of slippage.
 The reinforced bar end area for setting up bar end safely.
 EN-14766 Mountain approved

CARBON FLAT BAR	MATERIAL	FINISH	BAR BORE Ø	Up & Down Sweep	Front & Back Sweep	WIDTH	WEIGHT ±5g
X-ZENITH / HB-XF1.0SL	CARBON	UD/Wet White	31.8mm	1°	5°	560/580/600/	116g (600mm)
X-ZENITH / HB-XF1.0	CARBON	3K/12K/8F	31.8mm	1°	5°	640/680/720/800	138g (600mm)

CARBON RISER BAR	MATERIAL	FINISH	BAR BORE Ø	Up & Down Sweep	Front & Back Sweep	WIDTH	WEIGHT ±5g
X-ZENITH / HB-XR1.0SL	CARBON	UD/Wet White	31.8mm	8°	5°	620/640/660/	143g (660mm)
X-ZENITH / HB-XR1.0	CARBON	3K/12K/8F	31.8mm	8°	5°	680/720/740/800	167g(620mm)



HUB

light weight & smooth pedaling & durability



X-NEO/XB-SS3.0

- Main body material/machined
AL6061 T6 by CNC
- Freehub body material/machined
AL7075 by CNC
- DESCRIPTION
 - F:100mm, R: 130mm, Water Drop Shape
 - New design sealed bearing cap & O spring structure
 - Shimano or Campagnolo Compatible Cassette Body For Choices
- USAGE
ROAD
- HOLES
F: 20 R: 24
- COLOR
Anodized red, anodized black, powder white
- WEIGHT
F67g/R224g



X-NEO/XB-SS3.1

- Main body material/machined
AL6061 T6 by CNC
- Freehub body material/machined
AL7075 by CNC
- DESCRIPTION
 - Straight Pull
 - F:100mm, R: 130mm, Water Drop Shape
 - New design sealed bearing cap & O spring structure
 - Shimano or Campagnolo Compatible Cassette Body For Choices
- USAGE
ROAD
- HOLES
F: 20 R: 24
- COLOR
Anodized red, anodized black, powder white
- WEIGHT
F126g/R224g

X-NEO/XB-XX3.1

- Main body material/machined
AL6061 T6 by CNC
- Freehub body material/machined
AL7075 by CNC
- DESCRIPTION
 - F:100mm, R: 135mm, Water Drop Shape
 - New design sealed bearing cap & O spring structure
 - Propeller tight sealed bearing
 - Shimano or Campagnolo Compatible Cassette Body For Choices
- USAGE
MTB / Disc Brake Verison
- HOLES
F: 24 / 28 / 32 R: 24 / 28 / 32
- COLOR
Anodized red, anodized black, anodized blue, powder white
- WEIGHT
F171g/R298g



X-NEO/XB-XX4.3

- Main body material/machined
AL6061 T6 by CNC
- Freehub body material/machined
AL7075 by CNC
- DESCRIPTION
 - F:100mm/QR 9mm & 100mm/thru axle 15mm. Changeable
 - R:135mm/QR 9mm & 142mm/thru axle 12mm. Changeable
 - New design sealed bearing cap & O spring structure
 - Propeller tight sealed bearing
 - Shimano Compatible Cassette Body
- USAGE
MTB / Disc Brake Verison
- HOLES
F: 32 R: 32
- COLOR
Anodized red, anodized black, anodized titanium color
- WEIGHT
F153g/R275g

CASSETTE SPROCKET



Aerodynamic Ultra-light Alloy Cassette Sprocket

For Shimano Compatible

Seq.	Model No.	Description	Ratio	Main body Material	11T Material	Surface treatment	Weight ±10g
1	ACS-S09134AL	11-34T	11,13,15,17,20,23,26,30,34	7075	CR-MO	hard anodizing	172
2	ACS-S10132AL	11-32T	11,12,13,14,16,18,21,24,28,32	7075	CR-MO	hard anodizing	127

With Lock Ring X-NEO/XX-S1

Optional Color :Silver,Black,Red,Blue,Gold

Hollow design with forged manufacturing + precision CNC machined and special surface treatment without compromising in strength, weight, wear-resisting and function, with best performance when shifting

CASSETTE SPROCKET 10S 11-36T

For Shimano and Sram Compatible

Model No.	Main body Material	11T Material	Surface treatment	Weight ±10g	Color
ACS-S10136AL1	AL7150	CR-MO	hard anodizing	195g	Gold
ACS-S10136AL2	AL7250	CR-MO	electroless nickel	205g	Silver
ACS-S10136AL6	Scandium	CR-MO	Ceramic+teflon	191g	Black

With Lock Ring X-Neo/XX-S1

Ratio 11-36T: 11,13,15,17,19,21,24,28,32,36

Origin: Made in Taiwan

Aluminum Alloy Table/Static Mechanical Property

Item no.	Tensile Strength (Mpa)	Yield Strength (Mpa)	Elongation (%)	Hardness
7075-T76	>482	>406	>6	
7150-T76	560-574	506-529	8.3-11.9	450-480HV
7250-T6x	650	600	>9	1000-1100HV
A600-Sc-T6x	688	655	5.8-7.2	500-1500 + excellent movement
Ti-3AL-3.5v	620	500	15	

Patented/ JAPAN: 3143936 & 3156390 / TAIWAN: M329011 & M372828 / GERMANY: 20 2009 013 417.2 It's for best performance when shifting. 10 speed 11-32T: efficient laborsaving when achieving an optimum speed ratio of approximate 1:1 when matches to the front chain wheel of 34 teeth.



LOCK RING

PEDAL



For cassette sprocket

For Disc Rotor

X-NEO/XX-C1



X-NEO/XX-C2



X-NEO/XX-S1



X-NEO/XX-S2



X-NEO/XX-D1



X-NEO/XX-D2



Item no.	Material	COMPATIBLE for	Description	Weight (±1g)
X-Neo/ XX-C1	ALLOY 6061-T6	Campagnolo	11T	8g
X-Neo/ XX-C2			12T	10g
X-Neo/ XX-S1	ALLOY 6061-T6	Shimano	11T	8g
X-Neo/ XX-S2			12T	11g

Washer: Stainless Steel 45dia x 0.1mmH
Color: Gold, Red, Blue, Silver, Black

Lock ring in fashion colors for cassette sprocket, there are total 5 colors for your choices.
Small decoration makes your bike style very outstanding.
With stainless steel washer for fasten tightly also extend lock ring it self's life time.

Alloy 6061T6
Washer: Stainless Steel: 45dia x 0.1mmH
Color: Gold, Pink, Red, Orange, Green
Weight: 9g±2g

Lock ring in fashion colors for disc rotor, there are total 7 colors for your choices.

Small decoration makes your bike style very outstanding.
With stainless steel washer for fasten tightly.

Titanium Spindle

Colorful skidproof design

Unidirectional carbon fiber

Protection cage:
Alloy 6061
Extrusion+CNC machined

SCREW ALLOY 7075

ALLOY 7075



X-ZENITH/PD-XXI.0

Carbon body size (mm): 70L x 64W x 20.5H
Alloy protection cage (mm): 16L x 64W x 20.5H
With 1 sealed bearing + 1 busing
Weight: 197g ± 20g without outer protection cage
Color: Gold, Red, Blue, Green, Pink

Introducing AGOGO dynamic new X-Zenith Carbon Pedal featuring a light weight unidirectional carbon fiber pedal body, mated to a titanium spindle. The pedals also allow you to express your own individuality with the addition of your choice of removable colored outer protection cages to keep your carbon pedal out of harms reach.



OTHER ACCESSORIES

ALLOY SPACER
for external bottom bracket



X-Neo/BS1.0

Material: ALLOY 6061
Size: 35.2 dia. X 2.5mmH
Color: Red, Gold, Blue, Green, Orange, Pink, Black

With AGOGO logo Laser engraving

BAR END



X-Neo/BN-XX5.0

3D forged alloy 6061T6 full CNC machined one piece.
Size: OD 22.2mm, 75mmL, Angle 5degree
Weight: 51g±5g
Color optional: Black / Red

VALVE



Light weight valve extension by CNC machined for using deep profiled rims. It's necessary for most of carbon rims.
With hex broach design in the barrel for fastening the valve of inner tube after inflating tire pressure to prevent from high air pressure leakage during cycling.
Head with ridged section keeps the pump head from slipping.

MODEL NO.	MATERIAL	SIZE	WEIGHT (pc)
X-NEO/VA-48	ALLOY 6061T6	48mmL	2g
X-NEO/VA-72		72mmL	4g

LIGHTWEIGHT CARBON FIBER HEADSET SPACER



MODEL NO.	DESCRIPTION	SIZE (mm)	FINISH
X-ZENITH/R1.0	CARBON FIBER	35 O.D. x 28.8 I.D. x 3 mmH	UD/Wet White
		35 O.D. x 28.8 I.D. x 5 mmH	
		35 O.D. x 28.8 I.D. x 10 mmH	
		35 O.D. x 28.8 I.D. x 15 mmH	



SEAT CLAMP



GRIP

GR-002

MATERIAL	SIZE	Color	Weight
NBR	125mm with Hexagon type	• Black	40g/pr
		• Back / Red	
		• Black / Blue	



GR-004

MATERIAL	SIZE	Color	Weight
NBR	129mm with Round type	• Black	28g/pr
		• Back / Red	
		• Black / Blue	



Copper Stainless steel Titanium Alloy 7075
washer bolts

X-NEO/SC-XS3.0

Premium ALUMINIUM
Material: AL7075T6 full CNC machined
Size optional: 31.6mm / 34.9mm
Weight: 9.5g±1g
Color: Black/Red

Super Lighter

TITANIUM CHOPSTICK





TITANIUM CHOPSTICK

The special surface treatment is by TiO2 (Titanium Dioxide)
Nano-technology.
 It's antibacterial.
 Space-saving Design.
 A noble gift for you and for people all you love.
 It is environmental protection products.
 Two section chopstick for carry control.

SKEWER

Titanium Axle and Lever



AGOGO skewers feature simple closed spherical cam design with TITANIUM AXLE and TITANIUM LEVER, top bolts could keep stainless springs from slip, no worry to look for springs on the ground any more!
 As people know that TITANIUM material is very difficult to manage but now we make it. After long time of process research and development, we successfully create an outstanding forged titanium lever with high polished finish.

Size For Road
 F: Effective length 116mm (for 100 hub)
 R: Effective length 146mm (for 130hub)

Size For Mountain
 F: Effective length 116mm (for 100 hub)
 R: Effective length 151mm (for 135 hub)

Φ12MM ALLOY SKEWER

SKEWER

Titanium Axle and Alloy Lever



This adaptor is for QR9mm x 135mm

X-Neo/xB-xx4.3



This adaptor is for Thur axle 12mm x 142mm

The Lever Can Be 360 Degree Turned

The Lever Can Be 360 Degree Turned

X-APEX/QR-XX2.1

12mmx142mm/LxP1.5 (with nut)
12x150mm/L
Hollow Axle AL7075
Lever with hole designed
Patent/ U.S.: 13/21415 ;
TAIWAN:100214698

X-APEX/QR-XX2.2


12mmx142mm/LxP1.5 (with nut)
12x150mm/L
Hollow Axle AL7075
Patent/ U.S.: 13/21415 ;
TAIWAN:100214698

X-APEX/QR-XX4.2

12mmx142mm/LxP1.5 (with nut)
12x150mm/L

QR-SS 6.0 For Road
QR-xx 6.0 For Mountain

Weight:44g/pr ±5g



AL7075

AL7150

Titanium

Titanium

QR-SS 1.0 For Road
QR-xx 1.0 For Mountain

Weight:44g/pr ±5g

Size For Road

F: Effective length 116mm (for 100 hub)
R: Effective length 146mm (for 130hub)

Size For Mountain

F: Effective length 116mm (for 100 hub)
R: Effective length 151mm (for 135 hub)



ALLOY WHEEL SET

SUPER ALLOY WHEEL SET



X-Neo/WH-XX5.0

• Speed	9 / 10
• Rim Size/Type	650B(27.5")
• Profile	23mm
• Rim Material	ALLOY
• Eyelets	Stainless
• Holes: F/R	F32/R32
• Valve Type	French Valve
• Hub	X-Neo/XB-XX4.3
• O.L.D: F/R	F/100mm x QR9mm&100mm x thru axle 15mm R/135mm x QR9mm&142mm x thru axle 12mm
• Cassette For	Shimano
• QR	X-Apex/QR-XX6.0
• Weight/PAIR	1720g±30g



X-Neo/WH-XX2.0 (29ER)

• Speed	9 / 10
• Rim Size/Type	29" / Clincher
• Profile	23mm
• Rim Material	ALLOY
• Eyelets	Stainless
• Holes: F/R	F32/R32
• Valve Type	French Valve
• Hub	X-Neo/XB-XX4.3
• O.L.D: F/R	F/100mm x QR9mm&100mm x thru axle 15mm R/135mm x QR9mm&142mm x thru axle 12mm
• Cassette For	Shimano
• QR	X-Apex/QR-XX6.0
• Weight/PAIR	1869g±30g



X-Neo/WH-SS2.0

• Speed	9 / 10
• Rim Size/Type	700C / Clincher
• Profile	20mm
• Rim Material	ALLOY
• Eyelets	-
• Holes: F/R	F20/R24
• Valve Type	French Valve
• Hub	X-Neo/XB-SS3.0
• O.L.D: F/R	F100mm/R130mm
• Cassette For	Shimano or Campagnolo
• QR	X-Apex/QR-SS6.0
• Weight/PAIR	1276g±30g



X-Neo/WH-SS3.0

• Speed	9 / 10
• Rim Size/Type	700C / Clincher
• Profile	30mm
• Rim Material	ALLOY
• Eyelets	-
• Holes: F/R	F20/R24
• Valve Type	French Valve
• Hub	X-Neo/XB-SS3.0
• O.L.D: F/R	F100mm/R130mm
• Cassette For	Shimano or Campagnolo
• QR	X-Apex/QR-SS6.0
• Weight/PAIR	1513g±30g



BOLTS

ULTRA LIGHT TITANIUM BOLTS

Colored Ultra Light Titanium Bolts Anti-Lossen Process / Titanium Washer



A-001B-TI
M6x30mmL



A-002A-TI
M5x18mmL



A-002X-TI
M5x21mmL



A-002F-TI
M6x18mmL



A-005C-TI
M15x13mmL



A-003-TI
M8xP0.75x7mmL



A-009-TI
M8xP1.25mmL



A-004X-TI
A-004X-AI
M10x7mmL &
M8x6mmL



A-009B-TI
M10xP1.0mmL



A-009B1-TI
M10xP1.25mmL



A-011D-TI
M8x10mmL /
M8x18mmL /



A-007B-TI
M5x10mmL



A-012-TI
M5x15mmL



A-012-AL
M5x15mmL

Model No.	Function	Size	Package	Weight (g/pc)
A-001B-TI	Use in head parts	M6x30mmL	6pc/card	4.8
A-002-TI	Use in stem	M5x18mmL	6pc/card	3.3
A-002F-TI	Use in stem	M6x18mmL	6pc/card	2.2
A-002X-TI	Use in stem	M5x21mmL	6pc/card	2.5

Model No.	Function	Size	Package	Weight (g/pc)
A-004-TI	Use in crank set	M10x7mm & M8x6mmL	5set/card	2.8
A-005C-TI	Use in crank set (ISIS BB)	M15x13.5mmL	2set/card	15.0

Model No.	Function	Size	Package	Weight (g/pc)
A-003-TI	Use in dropout	M8xP0.75x5mmL	5set/card	2.2
A-009A-TI	Use in pivot	M8xP1.25	2pc/card	5.0
A-009B-TI	Use in frame	M10xP1.0	2pc/card	5.0
A-009B1-TI	Use in frame and fork	M10xP1.25	2pc/card	5.5
A-007B-TI	Use in disc rotor	M5x10mmL	6set/card	1.2
A-012-TI	Use in water bottle cage	M5x16mmL	6pc/card	2.3

Model No.	Function	Size	Package	Weight (g/pc)
A-001B-TI	Use in stem, the top of head parts	M6x30mmL	6pc/card	4.3
A-00487-TI	Use in chainring, 22T, 24T, 30T	M8xP0.75x7mmL	5pc/card	1.4
A-010B59-TI	Use in FD, RD for "DURA-ACE", "ULTEGRA", "105S" series	M5xP0.8x9mmL with washer	6pc/card	1.8
A-010F620-TI	Use in V Brake-XTR & AVID	M6xP1.0x20mmL	4pc/card	2.5
A-011D10-TI	Use in brake system (Rear)	M8x10mmL	2pc/card	1.8
A-011D18-TI	Use in brake system (Front)	M8x18mmL	2pc/card	2.5
A-011D27-TI	Use in brake system (Front)	M8x27mmL	2pc/card	3.5
A-002F69-TI	Use in RD-XTR & BR-XTR/XT	M6xP1.0x9mmL	6pc/card	2
A-100-TI	Adjusting function, including adjusting screw in down tube of road bike	M6x15mmL	6pc/card	



Model No.	Function	Size	Package	Weight (g/pc)	Available Color
A-001B-TI	Use in head parts	M6x30mmL	6pc/card	4.8	Gold/Blue/Green/Pink
A-001BA-TI	Use in stem, the top of head parts	M6x30mmL	6pc/card	4.3	Gold/Blue/Green/Pink
A-002A-TI	Use in stem	M5x18mmL	6pc/card	3.3	Gold/Blue/Green/Pink
A-002F-TI	Use in stem	M6x18mmL	6pc/card	2.2	Gold/Blue/Green/Pink
A-007B-TI	Use in disc rotor	M5x10mmL	6set/card	1.2	Gold/Blue/Green/Pink
A-021-TI	Vehicle licence plate fixture	M6x18mmL	4set/card	3.0	Gold/Blue/Green/Pink



NUTS FOR CARTRIDGE BRAKE PADS
A-013-AL
Use in cartridge brake pads with threaded posts
M6x10mmL, AL7075
4sets/card



SCREWS FOR CHAIN RING
A-004-AL
Use in chain ring
M10x7mmL & M8x6mmL, AL7075
5sets/card



BOLTS FOR WATER BOTTLE CAGE
A-012-AL
Use in bottle cage
M5x16mmL
6pcs/card

OUR MISSION

Components for upgrading performance and achieving greater fun!

Devoting and engaging in product revolution by means of up to date technolog in order to bring

people ideal product to upgrading

riding performance and enhance health as well as riding pleasure.

WE ARE DARE TO DREAM

Because of AGOGO, people like riding and reduce pollution which motor / car or other activities

may produce to help environment

protection and make our earth a better place to live,

for you and for me, for the entire human race and other life in this planet.

OUR VISION

We are proud of " Made In Taiwan" as well as dedicating in product development for optimized

performance and quality.

Expecting ourselves could be the leader in bike industrial in very near future.

Also by means of bike activity could make our earth a green world, an ideal place to rely on.

AGOGO

AGOGO BIKE CO., LTD

Tel : 886-4-23398592 Fax : 886-4-23339459

E-mail: service@agogobike.com

No.489-9, Sihde Rd., Wufong Township, Taichung County 413, Taiwan (R.O.C.)

www.agogobike.com



Compose A Melody

Road Racing Bike Road Racing Bike

AGOGO BIKE



2014 NEW COLLECTION

Artistic Creativity

- / Mountain Bike
- / ROAD RACING BIKE
- / Frame
- / Handlebar
- / Cassette Sprocket
- / LIGHT WEIGHT ACCESSORIES